

Sikkerheds-& IMO skilte

Vi fremstiller også
sikkerhedsskilte og tavler
efter eget ønske



KRABBE

skilte • serigrafi • print



Tlf. 75 47 10 66

www.krabbe.dk



Påbudsskilte - Dansk standard

Skiltene leveres i hvid selvklæbende folie eller 1mm hvid plast plade i størrelserne: 148x210mm eller 210x297mm

P100  Øjenværn påbudt	P101  Hovedværn påbudt	P102  Høreværn påbudt	P103  Åndedrætsværn påbudt	P104  Fodværn påbudt	P105  Beskyttelseshandsker påbudt	P106  Beskyttelsesdragt påbudt
P107  Ansigtværn påbudt	P108  Faldsikring påbudt	P109  Obligatorisk fodgængerpassage	P110  Generelt påbud	P111  Værnefodtøj påbudt	P112  Antistatisk fodtøj påbudt	P113  Skridsikkert fodtøj påbudt
P114  Ætsfast tøj påbudt	P115  Brandfast tøj påbudt	P116  Hudbeskyttelse påbudt	P117  Maske påbudt	P118  Støvmaske påbudt	P119  Beskyttelseshætte påbudt	P120  Kørestolsbrugere
P121  Sikkerhedsforklæde påbudt	P122  Sikkerhedssele påbudt	P123  Sikringskæde påbudt	P124  Retningshenvisning	P125  Drikkevand	P126  Fodgængere denne vej	P126B  Fodgængere denne vej
P127  Hjelm påbudt	P129  Vask hænder	P130  Sikkerhedsfodtøj påbudt	P131  Sikkerhedsvest påbudt			

Skiltene leveres i hvid selvklæbende folie i størrelserne: Ø45mm - Ø90mm - Ø225mm og i 1mm hvid plastplade i størrelsen: Ø225mm

P100 	P101 	P102 	P103 	P104 	P105 	P106 	P107 
P108 	P109 	P110 	P111 	P112 	P113 	P114 	P115 
P116 	P117 	P118 	P119 	P120 	P121 	P122 	P123 
P124 	P125 	P126 	P129 	P130 	P131 		

Forbudsskilte - Dansk standard

Skiltene leveres i hvid selvklebende folie eller 1mm hvid plast plade i størrelserne:
148x210mm eller 210x297mm



kr. 52,- inkl. Tal-ark

Skiltene leveres i hvid selvklebende folie i størrelserne: Ø45mm - Ø90mm - Ø225mm
og i 1mm hvid plast plade i størrelsen: Ø225mm

Advarselsskilte - Dansk standard

Skiltene leveres i gul selvklæbende folie eller 1mm gul plast plade i størrelserne:
148x210mm eller 210x297mm

A300  Eksplosionsfare	A301  Farlig elektrisk spænding	A302  Ætsende stoffer	A303  Brandfarlige stoffer	A304  Giv agt	A305  Giftige stoffer	A306  Ioniserende stråling
A307  Laserstråle	A308  Elektromagnetisk felt	A309  Kæntningsfare ved valsning	A310  Glat	A311  Fare ved batteri	A312  Farlig stråling	A313  Radioaktivitet v. brand
A314  Høje temperaturer	A315  Varme væsker eller dampe	A320  Giftfare ved brand NPK-gødning	A321  Oplag af brandfarlige væsker	A322  Trykflasker fjernes ved brand	A324  	A330  Brandnærende
A331  Ikke-ioniserende stråling	A332  Stærkt magnetfelt	A334  Højdeforskel	A335  Biologisk fare	A336  Lav temperatur	A337  Skadelige eller irriterende stoffer	A338  Pas på! Frøseværktøj
A339  Risiko for håndskade	A340  Roterende valser	A341  Forsigtig færdsel på trappe	A342  Truck kørsel	A343  Pas på hængende last	A344  Pas på hånd! Skarp kniv	A345  Her skydes med boltapistol
A346  Svejsning i rustfrit stål	A348  Pas på fingrene	A349  Ammoniak	A350  Her arbejdes i rustfrit stål	A351  Polyurethanarbejde	A353  Pas på kørende trafik	A354  Elevator må ikke benyttes ved brand
A356  Klippe- og klemningsfare	A357  Pas på bevægeligt maskineri	A358  Svejsning og skæring	A360  Eksplosionsfare	A322-J-FO-SP  Trykflasker fjernes ved brand		

Dette skilt leveres spejlvendt i gul selvklæbende folie i størrelsen 148x210mm (til indvendig montering på glasrude)

Skiltene leveres i gul selvklæbende folie i størrelserne: 45x45x45mm - 90x90x90mm



>>>>>>>>>>



H400	H401	H402	H403	H404
-------------	-------------	-------------	-------------	-------------




H421-E-PPL

Brandskilte - Dansk standard

Skiltene leveres i hvid selvklæbende folie, 1mm hvid plast plade eller 1,2mm efterlysende Dark-Light plade i størrelserne: 105x297mm eller 148x420mm



Skiltene leveres i hvid selvklæbende folie, 1mm hvid plast plade eller 1,2mm efterlysende Dark-Light plade i størrelserne: 148x210mm eller 210x297mm



Skiltene leveres i hvid selvklæbende folie, 1mm hvid plast plade eller 1,2mm efterlysende Dark-Light plade i størrelserne: 150x150mm eller 200x200mm




Selvklæbende symbolmærkater til f.eks. brand- og oversigtsplaner leveres som et A5 ark med i alt 180 mærkater i størrelsen 10x10mm (30 stk af hver af de 6 viste symboler).



Varenummer SYM-10X10-A5


Pictogrammer / Pictograms

Skiltene leveres i hvid selvklæbende folie i størrelsen 200x200mm.
The signs are available in self adhesive foil in size 200x200mm.



Stålpictogrammer / Steel Pictograms


Skiltene leveres som 1mm ALU
børstet rustfri stål look i størrelsen
120x120mm med sort
piktogram og let afrundede hjørner.



The signs are available in 1mm ALU with round corners and a stainless steel look with a black pictogram. The size is 120x120mm.











Farligt gods / Dangerous goods

Skiltene leveres i selvklæbende folie i størrelsen 200x200mm.
The signs are available in self adhesive foil in size 200x200mm.




Imoskilte / IMO Signs - International standard

Leveres på efterlysende folie eller 1,2mm efterlysende Dark-Light plade i størrelsen 150x150mm
These signs are on photoluminescent foil or 1,2mm photoluminescent vinyl - size 150x150mm

						
EM601 - Fire Nozzle	EM602 - Fire Extinguisher	EM603 - Emergency Telephone	EM604 - Emergency Exit Str. 150x300mm & 200x400mm	EM605 - Exit Str. 150x300mm & 200x400mm	EM606 - Stretcher	EM607 - Emergency Equipment indicator
						
EM608 - Exit	EM609 - Exit	EM610 - Exit Stairs up left	EM611 - Exit Stairs up right	EM612 - Exit Stairs down left	EM613 - Exit Stairs down right	EM625 - Exit
						
EM640 - Stairs start-end Str. 75x150mm	EM641 - Stairs start-end Str. 75x150mm	EP321 - Direction indicator	EP321B - Direction indicator	EP322 - Emergency exit indicator	EP323 - Direction indicator	EP323B - Direction indicator
						
EP302 - Rescueboat	EP303 - Liferaft	EP304 - Davit-launched liferaft	EP305 - Embarkation ladder	EP306 - Evacuation slide	EP307 - Lifebuoy	EP308 - Lifebuoy with line
						
EP310 - Lifebuoy with light and smoke	EP308B - Lifebuoy with smoke & line	EP311 - Lifejacket	EP312 - Child's lifejacket	EP313 - Immersion suit	EP314 - Survival craft portable radio	EP315 - EPIRB
						
EP317 - Line-throwing appt'	EP318 - Survival craft pyrotech' distress signals	EP319 - Rocket parachute flares	EP320 - Muster station	EP324 - Lifebuoy with light and line	EP325 - Marine Evacuation System (Chute)	EP326 - Anti-Exposure Suit (AES)
		Leveres på efterlysende folie eller 1,2mm efterlysende Dark-Light plade i 75x150mm. These signs are on photoluminescent foil or 1,2mm photoluminescent vinyl - 75x150mm				
EP330 - Infant lifejacket	EP331 - Lifejacket +140kg					
						
N500	N501	N502	N503	N504	N505	N506
						
N509	N510	N520	N521	N522	N523	N524
						
N525	N526					















































































Imoskilte / IMO signs - International standard

				
OP210 - Fasten seatbelts	OP211 - Secure Hatches	OP212 - Start Engine	OP213 - Lower lifeboat to water	OP214 - Release falls
				
OP215 - Lower rescue boat to water	P216 - Start water-spray	OP217 - Start air supply	OP218 - Release gripes	OP219 - Lower liferaft to water

Skiltene leveres på efterlysende folie eller 1,2mm efterlysende Dark-Light plade i størrelsen 150x150mm.
These signs are on photoluminescent foil or 1,2mm photoluminescent vinyl - size 150x150mm

Brandplanskilte / Fire Control Symbols - International standard













Skiltene leveres på efterlysende folie eller 1,2mm efterlysende Dark-Light plade i størrelsen 150x150mm
These signs are on photoluminescent foil or 1,2mm photoluminescent vinyl - size 150x150mm

								
CP00 - Fire control plan	CP01 - Push-button/switch for fire alarm	CP02 - Horn fire alarm	CP03 - Bell fire alarm	CP04 - Manually operated call point	CP05 - Space protected by automatic fire alarm	CP06 - Fire alarm panel	CP07 - Sprinkler installation	CP08 - Space protected by sprinkler
								
CP09 - Sprinkler section valve	CP10 - CO2 battery	CP11 - Space protected by CO2	CP12 - CO2 Horn	CP13 - CO2 release station	CP14 - Halon 1301 battery	CP15 - Space protected by Halon 1301	CP16 - Halon horn	CP17 - Halon release station
								
CP18 - Sprinkler horn	CP19 - Powder installation	CP20 - Powder monitor	CP21 - Powder hose and handgun	CP22 - Power release station	CP23 - Foam installation	CP22 - Foam monitor (gun)	CP25 - Foam nozzle	CP26 - Space protected by foam
								
CP27 - Foam valve	CP28 - Foam release station	CP29 - Halon 1301 bottles placed in protected area	CP30 - International shore connection	CP31 - Fire pump	CP33 - Emergency fire pump	CP34 - Remote contr. Fire pumps or emergency switches	CP35 - Bilge pump	CP36 - Emergency bilge pump
								
CP37 - Water monitor (gun)	CP38 - Water fog applicator	CP39 - Drenching installation	CP40 - Fire main with fire valves	CP41 - Section valves drenching system	CP42-A - Portable fire extinguisher	CP42-B - Portable fire extinguisher	CP42-C - Portable fire extinguisher	CP42-D - Portable fire extinguisher
								
CP42-E - Portable fire extinguisher	CP42-F - Portable fire extinguisher	CP43-A - Wheeled fire extinguisher	CP43-B - Wheeled fire extinguisher	CP44 - Fire damper in vent duct	CP45 - Fire station	CP46 - Locker with fireman's outfit	CP47 - Locker with add. breathing apparatus	CP48 - Locker with add. protective clothing
								
CP49 - Primary means of escape	CP50 - Secondary means of escape	CP51 - Space protected by drenching system	CP52 - A class division	CP53 - B class division	CP54 - Remote controlled skylights	CP55 - Remote controlled fuel/lubricating oil valves	CP56 - Control station	CP57 - Portable foam applicator
								
CP58 - Inert gas installation	CP59 - High Expansion foam supply trunk	CP60 - CO2/nitrogen bulk installation	CP61 - Emergency generator	CP62 - A class fire door	CP63 - A class fire door	CP64 - A class fire door self-closing	CP65 - A class fire door self-closing	CP66 - B class fire door
								
CP67 - B class fire door	CP68 - B class fire door self-closing	CP69 - B class fire door self-closing	CP70 - Closing appliance for ext. ventilation inlet or outlet	CP71 - Emergency switchboard	CP72 - Remote ventilation shut off	CP73 - Main vertical zone	CP74 - Smoke detector	CP75 - Heat detector
								
CP76 - Gas detector	CP77 - Flame detector	CP78 - Emergency telephone station	CP79 - Fire Axe	CP80 - Breathing apparatus E.E.B.D.	CP81 - Fire blanket	CP82 - Safety plan	CP83 - Emergency fire pump	CP84 - Fire pump
								
CP85 - Vent. shut-off for accom.	CP86 - Vent. shut-off for mach'n spaces	CP87 - Vent. shut-off for cargo spaces	CP88 - Skylight remote control	CP89 - Watertight doors remote control	CP90 - Fire doors remote control	CP91 - Fire damper for accom. and service spaces	CP92 - Fire damper for mach'n spaces	CP93 - Fire damper for cargo spaces
								
CP94 - Vent. shut-off for mach'n spaces	CP95 - Vent. shut-off for mach'n spaces	CP96 - Vent. shut-off for mach'n spaces	CP97 - Vent. shut-off for mach'n spaces	CP98 - Vent. shut-off for mach'n spaces	CP99 - Vent. shut-off for mach'n spaces	CP100 - Vent. shut-off for mach'n spaces	CP101 - Vent. shut-off for mach'n spaces	CP102 - Vent. shut-off for mach'n spaces

Påbudsskilte / Mandatory Signs - International standard

Leveres på efterlysende folie eller 1,2mm efterlysende Dark-Light plade i størrelsen 150x150mm eller 148x210mm

These signs are on photoluminescent foil or 1,2mm photoluminescent vinyl - size 150x150mm or 148x210mm

M100  Wear helmet	M101  Head protection must be worn	M102  This is a safety helmet area	M103  High visibility clothing must be worn in this area	M104  Eye protection must be worn	M105  Eye protection must be worn in this area	M106  Eye protection is provided for your safety and must be worn
M107  Wear goggles	M108  Wear face shield	M109  Face protection must be worn when welding	M110  Face protection must be worn in this area	M111  Wear mask	M112  Wear respirator	M113  Ear protection must be worn in this area
M114  Wear ear protection	M115  Ear protection must be worn	M116  Wear gloves	M117  Boots must be worn	M118  Wear protective clothing	M119  Lift correctly	M120  Now wash your hands
M121  Hand wash only	M122  Lifejackets must be worn at all times	M123  Keep clear	M124  Keep shut	M125  Keep clear. Exit for emergency escape route	M126  This door must be kept closed	M127  Keep clear
M131  !	M132  Head protection	M133  High visibility clothing	M134  Eye protection	M135  Face protection	M136  Mask	M137  Respirator
M138  Ear protection	M139  Gloves	M140  Boots	M141  Protective clothing	M142  Lifting	M143  Lifting	M144  Hand washing
M145  Lifejacket	M146  Protective clothing must be worn in this area M147  Personal protective equipment is provided. USE IT M148  Persons entering this area must comply with safety regulations M149  Think safety					

Advarselsskilte / Hazard Signs - International standard

Skiltene leveres på etterlysende Dark-Light plade i størrelsen 148x210mm

These signs are on 1,2mm photoluminescent vinyl - size 148x210mm

Z100  Danger	Z101  Danger Unmanned machinery space machinery may start without warning	Z102  Danger Battery charging	Z103  Danger Low oxygen level	Z104  Danger You are entering a CO ₂ protected area	Z105  Danger Moving machinery	Z106  Danger Overhead working
Z107  Caution Out of order	Z108  Danger Men working below	Z109  Warning Hazardous area	Z110  Warning Insulate before removing guards	Z111  Danger Dust hazard	Z112  Danger Asbestos	Z113  Danger Solvents
Z114  Warning Motor starts and stops automatically	Z115  Caution Vehicles	Z116  Caution Exhaust fumes	Z117  Danger Hot surface	Z118  Danger Hot	Z119  Caution Slip hazard	Z120  Caution Trip hazard
Z121  Caution Mind the step	Z122  Caution Wet deck	Z123  Caution Slippery surface	Z124  Danger Petroleum vapour	Z125  Caution Explosion risk	Z126  Caution Explosion gases	Z127  Danger Explosive material
Z128  Danger Compressed gases	Z129  Danger Compressed oxygen	Z130  Danger Acid	Z131  Danger Battery acid	Z132  Danger Corrosive substance	Z133  Danger Caustic	Z134  Danger Toxic
Z135  Danger Under maintenance	Z136  Danger Chlorine	Z137  Danger Harmful vapours	Z138  Danger Harmful chemicals	Z139  Danger High voltage	Z140  Danger Electrical hazard	Z141  Danger Electric shock risk
Z142  Danger Static electricity	Z143  Danger 110 volts	Z144  Danger 115 volts	Z145  Danger 220 volts	Z146  Danger 240 volts	Z147  Danger 380 volts	Z148  Danger 440 volts
Z149  WARNING Radio antennas to be earthed during cargo operations						

Brandskilte / Fire Signs - International standard


Skiltene leveres på efterlysende Dark-Light plade i størrelsen 150x150mm eller 297x105mm

These signs are on 1,2mm photoluminescent vinyl - size 150x150mm or 297x105mm



Skiltene leveres på efterlysende Dark-Light plade i størrelsen 210x297mm

These signs are on 1,2mm photoluminescent vinyl - size 210x297mm



Low Level Light System (LLL) - International standard

Low Location Light er et efterlysende sikkerhedssystem, som bruges til at indikere flugtveje og afmærke områder, hvor dette er nødvendigt. Flugtvejsmarkeringen fås i folie, plade eller plade monteret på alu-skinne.

Low Location Light is a luminescent security system that is used to indicate escape routes and mark the areas where this is necessary. Escape route selection is available in foil, sheet or plate mounted on aluminum rail.

LLL-system

Ved røgudvikling - kravt på gulvet og følg de selvlysende striber til nødudgange og videre til samlingsstationen "Cafeteria".

In case of smoke development - crawl on the floor and follow the Photoluminescent guidelines to emergency exits and further on to the musterstation "Cafeteria".



Luminans måling af LLL-system / Luminance measurements of LLL system

LLL-systemer skal have foretaget en luminans måling hvert 5. år for at kontrollere at installationen lever op til minimumskravene sat i IMO res. 752 (18). Resolutionen beskriver et krav for luminansen på min. 15 mcd/m² efter 10 minutter og 2 mcd/m² efter 60 minutter.



LLL systems should have a luminance measurement every 5 years to verify that the installation meets the minimum requirements set by the IMO res. 752 (18). The resolution describes the requirements for luminance of min. 15 mcd/m² after 10 minutes and 2 mcd/m² after 60 minutes.

We use measuring instruments of high quality:
Hagner Digital Photometer, model ERP 105
Digital Miniluxmeter, type 42-029
Minolta xy dc Cromameter

Vi benytter fintfølgende måleinstrumenter af høj kvalitet:

Hagner Digital Photometer, model ERP 105
Digital Miniluxmeter, type 42-029
Minolta xy-dc Cromameter lystemperaturmåler

Under målingen af luminans foretages måling af lystemperatur (farve) og af lysstyrke (lux). Disse målinger viser om lyset har en sådan kvalitet, at det kan oplade de photoluminescente striber tilfredsstillende. Efter udført måling udarbejdes en rapport med måleresultater, fotos og anbefalinger.


During measurement of luminance measurement is being made of light temperature (color) and brightness (lux). These measurements show the light so it has a quality that it can charge the photoluminescent stripes satisfactory. After measuring out we deliver a report with test results, photos and recommendations.

Ring og bestil tid!

**Call and book
an appointment!**

LLL-striber folie eller plade / LLL-stripes foil or vinyl

**LLL-striber/stribes
(Dark-Light
efterlysende folie/
photoluminescent foil)**



LLL-striber/stribes (Dark-Light efterlysende plade/photoluminescent plate)

DL-LLL150-80 - 80mm standard stribe til ALU skinne

DL LLL150-80 - 80mm standard stripe for ALU rail

DL-LLL150-75 - 75mm standard stribe til opklæbning

DL LLL150-75 - 75mm standard strip for bonding

DL-LLL200-55 - 55mm høj-intensiv stribe til ALU-skinne

DL LLL200-55 - 55mm high intensity stripe for ALU Rail

DL-LLL200-50 - 50mm høj-intensiv stribe til opklæbning


DL LLL200-50 - 50mm high intensity stripe for bonding

DL-LLL200-80 - 80mm høj-intensiv stribe til ALU skinne


DL LLL200-80 - 80mm high intensity stripe ALU rail

DL-LLL200-75 - 75mm høj-intensiv stribe til opklæbning

DL LLL200-75 - 75mm high intensity stripe for bonding



Exampler / Examples




Dark Light produkter / Dark Light products

Dark-Light efterlysende produkter er af høj kvalitet og de lever fuldt ud op til internationale krav som DIN67510 og IMO res. 752 (18). Dark-Light efterlysende produkter er ikke giftige og indeholder ikke radioaktive elementer.


■ Dark-Light is LM Sign's own brand of photoluminescent products and are very high quality. The products fully live up to international requirements, as for example DIN67510 and IMO res. 752 (18). Dark-Light photoluminescent products are not toxic and contains no radioactive elements.

LM Sign can provide safety signs and IMO signs made as standard on 1.2 mm thick luminescent Dark-Light plate. Often, the signs are also available on photoluminescent and self-adhesive Dark-Light foil.



Lysintensitet / Light intensity

Norm/Produkt:	Efter/After 10 min.	Efter/After 60 min.
DIN67510 norm	15 mcd/m ²	2,0 mcd/m ²
DL-PFO-150	140 mcd/m ²	14 mcd/m ²
DL-PPL-150	140 mcd/m ²	14 mcd/m ²
DL-PPL-200	260 mcd/m ²	26 mcd/m ²



DL-PFO-150

Dark-Light kraftigt efterlysende selvklæbende 0,35mm folie leveres i bredden 1m i ønsket længde (hel rulle 10m).

- Dark-Light strong luminescent self-adhesive foil 0.35 mm - width 1m delivered in desired length (whole roll is 10m).

DL-PFO-150A

Dark-Light kraftigt efterlysende selvklæbende 0,35mm folie leveres i ark 1000x1200 mm.

- Dark-Light strong luminescent self-adhesive 0.35 mm foil is available in sheets of 1000x1200 mm.

DL-PPL-150

Dark-Light kraftigt efterlysende 1,2mm kunststofplade leveres i størrelsen 1000x1200mm.

- Dark-Light strong photoluminescent 1,2 mm plastic plate - available in size 1000x1200mm.

Varenr. DL-PPL-200

Dark-Light EKSTRA kraftigt efterlysende 1,2mm kunststofplade leveres i størrelsen 1000x1200mm.


- Dark-Light EXTRA strong photoluminescent 1,2 mm plastic plate available in size 1000x1200mm.



RONDELØ90mm-PIL

Selvklæbende Dark-Light efterlysende rondel PFO Ø90mm m/påtrykt grøn pil og skridsikkert gulvlaminat Ø100mm.


- Adhesive Dark-Light luminescent Pad PFO Ø90mm w/printed green arrow and slip resistant laminate Ø100mm.



PRIK-Ø50mm

Selvklæbende Dark-Light efterlysende rondel PFO Ø50mm.

- Adhesive Dark-Light luminescent Pad PFO Ø50mm.



PIL-PFO110X68mm

Selvklæbende Dark-Light pil PFO 110x68mm

- Adhesive Dark-Light Arrow PFO 110x68mm

Brandskilte / Fire Signs - International standard

Mærkater til LLL-striber leveres i størrelserne 50x50mm, 75x75mm, 100x50mm eller 150x75mm med mindre andet er anført. Mærkaterne er trykt på transparent selvklæbende folie.

Signs to LLL-stribes in sizes 50x50mm, 75x75mm, 100x50mm or 150x75mm. The signs are printed on transparent foil.



LLL01



LLL02




LLL03



LLL04



LLL05



LLL06



LLL07




LLL08




LLL09



LLL10



LLL11
150x75mm & 100x50mm



LLL12
150x75mm & 100x50mm

Markeringstape / Marking Tape

Selvklæbende fare- og markeringstape. Self adhesive hazard- and marking tape.

- Spørg også på andre typer, farver eller refleks - alt kan skaffes!
- Ask for other types, colors or reflective - all can be provided!



Serigrafitryk / Screen Print

